


Soft ferrite product



Ferrite NFC Dynamic Module Tag [DTM-0806]

FEATURES

DTM-0806 is a small NFC dynamic module tag in the HF (13.56MHz) band. It is developed with TODA KOGYO's ferrite materials, unique design, and manufacturing technologies. It can be used for new applications that is unavailable with traditional tags.




CHARACTERISTICS

- 1 Function of serial data output**
It has an I²C terminal and can output data from the connected device.
- 2 Function of energy harvest**
It has an interface that supplies power to the connected device.
- 3 High heat resistance**
It is SMD type and has enough heat resistance for soldering directly to the PCB.

SPECIFICATIONS

【Specifications of DTM-0806】

Size	8.0×6.0×1.4 mm
IC Chip	ST25DV04K/M24SR02-Y(STMicroelectronics)
Standard	ISO/IEC 14443 type A (NFC Forum Type4) ISO/IEC 15693 (NFC Forum Type5)



〔Read communication characteristics when using a smartphone〕

The characteristics are different when reading with other models and Android smartphones.

APPLICATIONS

- NFC antennas/NFC devices
- Devices that need firmware updates and settings with a smartphone
- IoT data transfer applications

※iPhone is a trademark of Apple Inc.
※The iPhone trademark is used under license from AIPHONE CO., LTD.

